

## SYNTEKO REMOVER



Synteko REMOVER is a heavy floor cleaner, specially formulated for removal of polish and wax. Dissolves water, oil, ethanol- and alkaline patches and effectively removes rubber heel marks

### AREA OF USE:

for use before sanding and recoating with Synteko floor finishes, oils or new treatment with Synteko maintenance products such a NEWSHINE

### PRODUCT PROPERTIES:

removes efficiently dirt, marks from rubber heels, shoe polish, lipstick, ink, soil and more

### PLEASE NOTE:

not suited for use on untreated parquet and cork floorings

### TECHNICAL DATA:

Base material	Non-ionic surfactants: 1–<5 %, complexing and alkaline agents
Density	Approx. 1100 kg/m <sup>3</sup>
pH	Approx. 11
Shelf life	36 months in unopened container from production date (s.package)
Storage	Store frost-free. Must be stored between +5°C and +25°C
Packaging site	1L

### DIRECTIONS FOR USE

1. Vacuum or mop the floor to remove any dirt
2. Synteko Remover recommended dosage:
  - Heavy duty cleaning: 50 – 100 ml/10l water
  - Polish removal: 500 – 1000 ml/10l water
  - Polish removal Oak: 100 – 500ml/ 10l water
3. Apply an even coat using a cloth or mop.
4. When removing polish, leave on Remover for a few minutes before scrubbing and properly rinsing with water (neutralization).
5. Rinse out all traces of the Remover, since any residue may interfere with polishing. Use a fiber brush or red/black disk pad when using a machine buffer.
6. Be very careful when cleaning oak parquet floors since discoloration may occur.
7. The floor must be completely dry before screening and recoating.

### HEALTH & SAFETY INFORMATION



FOR PROFESSIONAL USE ONLY! Detailed information and guidance is provided in our MSDS (Material Safety Data Sheet) [www.synteko.com](http://www.synteko.com). The following only represents a selection of important information.

**Note:** Keep out of reach of children. If swallowed, seek medical advice immediately and show this container or label.

*Our information is based on laboratory tests and is considered a guide in connection with choice of product and working method. As your working conditions are beyond our control, we do not assume any responsibility for the results. Our responsibility covers exclusively personal injury and damage to property, which actually have been proved subsequent to faults and defects in one of the products manufactured by us.*